



The American College of
Obstetricians and Gynecologists

FAQ

FREQUENTLY ASKED QUESTIONS
FAQ0119
PREGNANCY

Exercise During Pregnancy

- **What are some of the benefits of exercise during pregnancy?**
- **What changes occur in the body during pregnancy that can affect my exercise routine?**
- **What forms of exercise are safe during pregnancy?**
- **What forms of exercise should be avoided?**
- **What should I be aware of when exercising during pregnancy?**
- **What are the warning signs that I should stop exercising?**
- **How can I get back into exercising after the baby is born?**
- **Glossary**

What are some of the benefits of exercise during pregnancy?

Becoming active and exercising at least 30 minutes on most, if not all, days of the week can benefit your health during pregnancy in the following ways:

- Helps reduce backaches, constipation, bloating, and swelling
- May help prevent or treat **gestational diabetes**
- Increases your energy
- Improves your mood
- Improves your posture
- Promotes muscle tone, strength, and endurance
- Helps you sleep better

Regular activity also helps keep you fit during pregnancy and may improve your ability to cope with labor. This will make it easier for you to get back in shape after the baby is born.

What changes occur in the body during pregnancy that can affect my exercise routine?

The hormones produced during pregnancy cause the ligaments that support your joints to become relaxed. This makes the joints more mobile and more at risk of injury. The extra weight in the front of your body during pregnancy shifts your center of gravity and places stress on joints and muscles, especially those in the pelvis and lower back. This can make you less stable, cause back pain, and make you more likely to lose your balance and fall, especially in later pregnancy. The extra weight you are carrying will make your body work harder than before you were pregnant.

What forms of exercise are safe during pregnancy?

Certain sports are safe during pregnancy, even for beginners:

- Walking is a good exercise for anyone.
- Swimming is great for your body because it works so many muscles.
- Cycling provides a good aerobic workout.
- Aerobics is a good way to keep your heart and lungs strong.
- If you were a runner before you became pregnant, you often can keep running during pregnancy, although you may have to modify your routine.

What forms of exercise should be avoided?

In general, activities in which there is a high risk of falling, such as gymnastics, water skiing, and horseback riding, should be avoided. Some racquet sports also increase the risk of falling because of your changing balance. Other sports to avoid include the following:

- Downhill snow skiing—Your change in balance may put you at greater risk of injuries and falls. Also, you may be at risk of altitude sickness, an illness caused by breathing air that contains less oxygen.
- Contact sports, such as hockey, basketball, and soccer—These sports can result in harm to you and your baby.
- Scuba diving—Scuba diving can put your baby at risk of decompression sickness, a serious illness that results from changes in the pressure surrounding the body.

What should I be aware of when exercising during pregnancy?

The changes in your body can make certain positions and activities risky for you and your baby. While exercising, try to avoid activities that call for jumping, jarring motions, or quick changes in direction that may strain your joints and cause injury.

There are some risks from becoming overheated during pregnancy. This may cause loss of fluids and lead to dehydration and problems during pregnancy.

When you exercise, follow these general guidelines for a safe and healthy exercise program:

- After the first trimester of pregnancy, avoid doing any exercises on your back.
- If it has been some time since you have exercised, start slowly. Begin with as little as 5 minutes of exercise a day and add 5 minutes each week until you can stay active for 30 minutes a day.
- Avoid brisk exercise in hot, humid weather or when you have a fever.
- Wear comfortable clothing that will help you to remain cool.
- Wear a bra that fits well and gives lots of support to help protect your breasts.
- Drink plenty of water to help keep you from overheating and dehydrating.
- Make sure you consume the daily extra calories you need during pregnancy.

What are the warning signs that I should stop exercising?

Stop exercising and call your health care provider if you have any of these symptoms:

- Vaginal bleeding
- Dizziness or feeling faint
- Increased shortness of breath
- Chest pain
- Headache
- Muscle weakness
- Calf pain or swelling
- Uterine contractions
- Decreased fetal movement
- Fluid leaking from the vagina

How can I get back into exercising after the baby is born?

Walking is a good way to get back into exercising. Brisk walks several times a week will prepare you for more strenuous exercise when you feel up to it. Walking has the added advantage of getting both you and the baby out of the house for exercise and fresh air. As you feel stronger, consider more vigorous exercise.

Glossary

Gestational Diabetes: Diabetes that arises during pregnancy; it results from the effects of hormones and usually subsides after delivery

If you have further questions, contact your obstetrician–gynecologist.

FAQ119: Designed as an aid to patients, this document sets forth current information and opinions related to women's health. The information does not dictate an exclusive course of treatment or procedure to be followed and should not be construed as excluding other acceptable methods of practice. Variations, taking into account the needs of the individual patient, resources, and limitations unique to institution or type of practice, may be appropriate.

Copyright August 2011 by the American College of Obstetricians and Gynecologists. No part of this publication may be reproduced, stored in a retrieval system, posted on the Internet, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher.